



**MORRIS**  
LUBRICANTS

---

# AUTOMOTIVE PRODUCTS

---



PERFORMANCE **DRIVEN** THROUGH TECHNOLOGY...



## PERFORMANCE DRIVEN THROUGH TECHNOLOGY...

As one of Europe's leading manufacturers of automotive lubricants with a history dating back to Benz's first motorcar, we're constantly striving to develop the next generation of products that not only meet, but far exceed, our clients' expectations. Our highly-skilled, expert team works in close collaboration with the world's major automotive OEMs to ensure that our manufacturer-approved range of automotive products continues to meet the very latest and most stringent global standards.

Our automotive product range has been specifically formulated to exceed the technological requirements of today's automobile, from modern family cars and 4x4s to light commercial vehicles and high-performance sports cars. With the ever-increasing complexity of exhaust after-treatment devices (particulate filters and catalysts) and demands for supreme fuel economy, our products not only offer the highest levels of component protection, but ensure that maximum operating efficiency is maintained at all times.



### OVER 150 YEARS OF TRADITION IN EXCELLENCE

James Kent Morris could never have envisaged the future evolution of his business to a global oil exporter when he set up shop in Shrewsbury on December 7, 1869. Over 150 years later and now one of the leading oil blenders in Europe, Morris Lubricants has exported its Superior Quality Lubricants to 90 Countries worldwide. With a proud British heritage the company is one of the largest family-owned lubricants manufacturers that goes back 5 generations.

### BRAND AMBASSADOR, GUY MARTIN

One minute he may be working under a truck, the next racing around a road circuit on a superbike or taking part in another challenge for TV, but Guy Martin remains as down-to-earth as a Lincolnshire lad could be. Now as a proud ambassador for Morris Lubricants he commented on his first visit to the factory:



*"I just thought it was a few blokes in a shed in Shrewsbury, but to come here and see what goes into the blending and testing of the oils is amazing. I was really impressed by the whole Morris operation and it's now an honour to be part of it."*

## AUTOMOTIVE ENGINE OILS

A range of superior quality engine oils suitable for both petrol and diesel engines. Our latest synthetic technology products are an essential component in the operation of low emission engine designs. Their chemical profiles have been carefully tailored to ensure maximum after-treatment device compatibility.



Product Name	Pack Shot	Pack Sizes	Part No.	Tech Flags	Specifications
<b>MULTIVIS ECO Superior quality fuel-efficient and after-treatment device compatible engine oil for petrol and diesel engines.</b>					
Multivis ECO PV 0W-20		12x 1L	EPV 001	 	ACEA C5, ACEA C6, API SP, API SN, API SN Plus, API SN RC, ILSAC GF-5, Opel/Vauxhall OV0401547-A20, BMW LL-17FE+ (covers BMW LL-14FE+), MB 229.71, Ford WSS-M2C947-B1, Fiat 9.55535-GSX, Chrysler MS-12145, STJLR.03.5006-16* (Verified)
		4 x 5L	EPV 005		
		25L	EPV 025		
		205L	EPV 205		
Multivis ECO S 0W-20		12x 1L	ECS 001	 	API SP, API SN, API SN Plus, API SN Plus RC, ILSAC GF-6A, GM dexos1™ Gen 2
		4 x 5L	ECS 005		
		25L	ECS 025		
		205L	ECS 205		
Multivis ECO V 0W-20		12 x 1L	MLV 001	 	ACEA C5, ACEA C6, API SP, API SN, API SN Plus, API SN RC, ILSAC GF-5, MB 229.71, Fiat 9.55535-GSX, Chrysler MS-12145, Ford WSS-M2C947-B1, Volvo VCC.RBSO.2AE
		4 x 5L	MLV 005		
		25L	MLV 025		
		205L	MLV 205		
Multivis ECO V 0W-30		12 x 1L	MZT 001	 	API SL, ACEA A5/B5, Volvo 95200377
		4 x 5L	MZT 005		
		25L	MZT 025		
		205L	MZT 205		
Multivis ECO FB 5W-20		12 x 1L	MFN 001	 	ACEA C5, Ford WSS-M2C948-B, API SP.
		4 x 5L	MFN 005		
		25L	MFN 025		
		205L	MFN 205		
Multivis ECO FA 0W-30		12 x 1L	NFT 001	 	ACEA C2, Ford WSS-M2C950-A, STJLR.03.5007 (Verified)
		4 x 5L	NFT 005		
		25L	NFT 025		
		205L	NFT 205		
Multivis ECO PC 0W-30		12 x 1L	EPC 001	 	PSA B71 2312, ACEA C2
		4 x 5L	EPC 005		
		25L	EPC 025		
		205L	EPC 205		
Multivis ECO PC 0W-20		12 x 1L	EPT 001	 	ACEA C5, ACEA C6, API SP, PSA B71 2010
		4 x 5L	EPT 005		
		25L	EPT 025		
		205L	EPT 205		
Multivis ECO H 0W-16		12 x 1L	ECH 001	 	API SN
		4 x 5L	ECH 005		
		25L	ECH 025		
		205L	ECH 205		
Multivis ECO VB 0W-20		12 x 1L	EVB 001	 	Approved under VW Standard 508 00 and VW Standard 509 00, VW TL 52577, Porsche C20
		4 x 5L	EVB 005		
		25L	EVB 025		
		205L	EVB 205		
Multivis ECO FE 0W-20		4 x 5L	EFE 005	 	ACEA C5, ACEA C6, API SP, API SN Plus, Ford WSS M2C-952-A1, MB 229.71, OV0401547, GM Dexos® D, STJLR 03.5006.
Multivis ECO VA 0W-30		205L	EVA 205		ACEA C3, VW 504.00/507.00, MB 229.52, BMW Longlife 04, Porsche C30.

\* Backward compatible to STJLR.51.1522 except in cold climates such as Finland, Sweden, Russia, Kazakhstan, China, Norway, Kyrgyzstan, Mongolia.

Product Name	Pack Shot	Pack Sizes	Part No.	Tech Flags	Specifications
<b>MULTIVIS ADT Superior quality after-treatment device compatible engine oil for petrol and diesel engines</b>					
Multivis ADT C1 5W-30		12x 1L	MCF 001	FE L ST	ACEA C1, Ford WSS-M2C934-B*, STJLR.03.5005 (Verified) * Demonstrated 'no harm in use
		4 x 5L	MCF 005		
		25L	MCF 025		
		205L	MCF 205		
Multivis ADT C2 5W-30		12 x 1L	CTW 001	FE M ST	ACEA C2, APISN, PSA B71 2290 (2014) Please note: Multivis ADT C2 5W-30 has shown no harm in use with engines requiring Fiat 9.55535-S1 and DSI qualified lubricants.
		4 x 5L	CTW 005		
		25L	CTW 025		
		205L	CTW 205		
Multivis ADT C3 5W-30		12 x 1L	CTH 001	FE M ST	ACEA C3, ACEA C2 MB 229.31, MB229.51, PSA B71 2290 (2014), API SN, dexos®2, OV 0141547-D30. Approvals: MB-Approval 229.52
		4 x 5L	CTH 005		
		25L	CTH 025		
		205L	CTH 205		
Multivis ADT C4 5W-30		12 x 1L	CFT 001	FE L ST	ACEA C3, ACEA C4, Renault RN0720, MB 226.51
		4 x 5L	CFT 005		
		25L	CFT 025		
		205L	CFT 205		
Multivis ADT C3 5W-40		12 x 1L	CFF 001	M ST	API SN Plus, ACEA C3, BMW Longlife-04, Ford WSS-M2C917-A, MB229.51/229.31.
		4 x 5L	CFF 005		
		25L	CFF 025		
		205L	CFF 205		
Multivis ADT FD 5W-30		12 x 1L	MND 001	FE ST	API SL/CF, ACEA A5/B5, Ford WSS-M2C913-D, STJLR.03.5003, RN0700
		4 x 5L	MND 005		
		25L	MND 025		
		205L	MND 205		
Multivis ADT VA 5W-30		12 x 1L	VMX 001	FE M ST	Approved under VW Standard 504 00 and VW Standard 507 00, ACEA C3, Porsche C30, MB 229.51, BMW Longlife-04
		4 x 5L	VMX 005		
		25L	VMX 025		
		205L	VMX 205		
Multivis ADT VX 5W-30		12 x 1L	VXC 001	FE M ST	VW 504.00/507.00, ACEA C3, Porsche C30, MB 229.51, BMW Longlife-04, API SN
		4 x 5L	VXC 005		
		25L	VXC 025		
		205L	VXC 205		
Multivis ADT DV 5W-30		12 x 1L	ADV 001	FE M ST	API SP, ILSAC GF-5, GM dexos I Gen 2, OV 0401547-G30.
		4 x 5L	ADV 005		
		25L	ADV 025		
		205L	ADV 205		
Multivis ADT RN 5W-30		12 x 1L	MRN 001	FE M ST	Renault RN17, ACEA C3
		4 x 5L	MRN 005		
		25L	MRN 025		
		205L	MRN 205		
<b>MULTIVIS CST Superior quality engine oil with enhanced component protection for petrol and diesel engines.</b>					
Multivis CST HP 5W-40		12x 1L	MFS 001	ST	API SN / CF, ACEA A3 / B4, Renault 0700 and 0710, PSA B71 2300, MB 226.5 / 229.3, VW Standard 502.00/505.00, Porsche A40
		4 x 5L	MFS 005		
		25L	MFS 025		
		205L	MFS 205		
Multivis CST SS 10W-40		12 x 1L	MUL 001	SS	API SN / CF, ACEA A3 / B4, MB 229.3, VW 501.00 / 505.00, Renault RN 0700 / 0710
		4 x 5L	MUL 005		
		25L	MUL 025		
		205L	MUL 205		

Product Name	Pack Shot	Pack Sizes	Part No.	Tech Flags	Specifications
<b>MULTIVIS MLR Superior quality high performance engine oil developed for demanding motorsport applications.</b>					
Multivis MLR 10W-60		4 x 5L	RPM 005	FS	API SN/CF
		25L	RPM 025		
		205L	RPM 205		
Multivis MLR 10W-50		12 x 1L	COM 001	FS	API SN/CF
		4 x 5L	COM 005		
		25L	COM 025		
		205L	COM 205		

<b>SERVOL Superior quality engine oil with enhanced component protection for petrol and diesel engines.</b>					
Servol 10W-40		12x 1L	SPS 001	~	API SL/SJ/CF, ACEA A3/B3.
		4 x 5L	SPS 005		
		25L	SPS 025		
		205L	SPS 205		
Servol 15W-40		12 x 1L	SPP 001	~	ACEA A3/B4, API SL/CF
		4 x 5L	SPP 005		
		25L	SPP 025		
		205L	SPP 205		
Servol 5W-30		4 x 5L	SFT 005	~	ACEA C3, MB229.31, API SP
		25L	SFT 025		
		205L	SFT 205		

## GREASES

Product Name	Pack Sizes	Part No.
<b>K2EP Longlife Grease</b> Premium quality multi-purpose lithium complex grease for lubricating all anti-friction and plain bearings. NLGI No.2	36 x 400g	KLG 400
	12.5kg keg	KLG 075
	50kg keg	KLG 050
	180kg barrel	KLG 180
<b>K42EP Grease</b> Premium quality multipurpose greases for use in all anti-friction and plain bearings subjected to high shock load and vibration conditions. It is used extensively for applications throughout industry and the automotive sector. NLGI No.2	36 x 400g	KFT 400
	12 x 500g	KFT 500
	3kg	KFT 003
	12.5kg keg	KFT 075
	50kg keg	KFT 050
	180kg barrel	KFT 180
<b>K383 Anti-Seize Compound</b> Lead free anti seize compound, made from high quality mineral oils, non-soap thickener incorporating copper powder and graphite. Anti-seize properties enable this grease to work even if the joints become so compressed that most of the compound is squeezed out, or excessive temperature flashes off the oily part of the compound. A fine film of copper particles always remain in joints or threads to prevent seizure. NLGI No.1/2	12 x 500g	ASC 500
	3kg	ASC 003
	12.5kg keg	ASC 075

## BRAKE FLUID / POWER STEERING FLUID

Product Name	Pack Sizes	Part No.	Specifications
<b>Brake Fluid DOT 4</b>	24 x 500ml	BRA 500	FMVSS 116, DOT 3 and DOT 4, SAE J 1703 and J 1704, ISO 4925 (Classes 3 & 4), JIS K 2233.
	12 x 1L	BRA 001	
	4 x 5L	BRA 005	
	205L	BRA 205	
<b>Brake Fluid ESP DOT 4</b>	24 x 500ml	ESP 500	FMVSS 116, DOT 3 and DOT 4, SAE J 1703 and J 1704, ISO 4925 (Classes 3, 4 & 6).
<b>LHM Plus</b>	12 x 1L	LHM 001	ISO 7308, PSA B71 2710, Ford ESN M6C 59A.
	205L	LHM 205	
<b>Multi-System Central Hydraulic Fluid</b>	12 x 1L	CHF 001	Meets the performance requirements of International Standard ISO 7308.
<b>Power Steering Fluid</b>	12 x 1L	PSF 001	~

# GEAR & TRANSMISSION OILS




Product Name	Pack Sizes	Part No.	Tech Flags	Specifications
Lodexol XFS 75W-90	12 x 1L	XFN 001	FS AD LS	API GL-5, WSS M2C939-A, SR-M2C9102-A.
	4 x 5L	XFN 005		
	25L	XFN 025		
	205L	XFN 205		
Lodexol XFS 80W-140	12 x 1L	XFS 001	FS AD LS	API GL-5+.
	4 x 5L	XFS 005		
	25L	XFS 025		
	205L	XFS 205		
Lodexol MTFE 75W	12 x 1L	TFE 001	FE FS MT	Ford WSS M2C-200D2, API GL-4. <i>Please see Technical Data Sheet for full list of specifications.</i>
	4 x 5L	TFE 005		
	25L	TFE 025		
	205L	TFE 205		
Lodexol MTF 75W-80	12 x 1L	MTS 001	FE FS MT	API GL-4. <i>Please see Technical Data Sheet for full list of specifications.</i>
	4 x 5L	MTS 005		
	25L	MTS 025		
	205L	MTS 205		
Lodexol FS 75W-90	12 x 1L	LSF 001	FS MT AD	API GL-4/5
	4 x 5L	LSF 005		
	25L	LSF 025		
	205L	LSF 205		
Multitrans DX15	12 x 1L	MDX 001	FE AT	MB 236.15, NAG2FE. Note: This product is not compatible with previous MB specifications.
	4 x 5L	MDX 005		
	25L	MDX 025		
	205L	MDX 205		
Multitrans DCT	12 x 1L	DCT 001	FS MT AD	VW, Audi, Seat and Skoda 6-speed wet Dual Clutch Transmissions, Ford/Getrag, Volvo, Peugeot, Citroen and Mitsubishi 6-speed wet Dual Clutch Transmissions, MB 7 speed wet dual clutch transmissions, DCT's fitted to Hybrid Vehicles. <i>Please see Technical Data Sheet for full list of specifications.</i>
	4 x 5L	DCT 005		
	25L	DCT 025		
	205L	DCT 205		
Multitrans MPC	12 x 1L	MPC 001	FS AT	GM DEXRON® IIIH MB 236.6, Ford MERCON® V, Chrysler ATF +3, Chrysler ATF +4, Nissan MATIC DJ/K, Honda Z-I Toyota T-IV, ZF TE-ML 03D, 09, 11B, 14A, 14B, 16L, 17C, JASO 1A, VW TL 52162 – (Factory fill product – Yellow), Mitsubishi J2 and J3. Also suitable for use in applications requiring MB 236.11/12/14. <i>Please see Technical Data Sheet for full list of specifications.</i>
	4 x 5L	MPC 005		
	25L	MPC 025		
	205L	MPC 205		
Multitrans CVT	12 x 1L	CVT 001	FS AT	Toyota CVTF TC, Subaru ECVT, Toyota CVTF FE Subaru iCVT, Nissan NS-I, Daihatsu Ammix CVT, Nissan NS-2, Suzuki CVTF TC, Honda HMMF*2 I, Suzuki NS-2, Honda HCF2, Suzuki CVT Green I, Mitsubishi SP-III (CVT Only), Hyundai SP-III (CVT Only), Mitsubishi CVTF-JI, Chrysler/Jeep NS-2, Mini Cooper EZL799. Jatco systems include: JF009E, JF010E, JF011E, F06A, FIC1. NOTE: Not recommended for Hybrid E-CVT and Toroidal CVT. Chain type CVTs, and electro-powershift have not yet been validated.
	4 x 5L	CVT 005		
	25L	CVT 025		
	205L	CVT 205		
Liquimatic DX14	12 x 1L	MBF 001	AT	Approvals: MB-Approval 236.14. Meets the requirements of MB 236.1/6/7/9/10/12, Proven performance in the latest 6HP & 8HP speed where the following has been specified: BMW Part No. 8322 2152426, Chrysler Part No. 68157995AA, Jaguar Part No. 02JDE 26444, Land Rover Part No. LR023288, VW Part No. G 055 005 A1/A2/A6, VW Part No. G 060 162 A2, VW TL 52533 (G 052 533), Lifeguard Fluid 8 - 6HP19X - for Audi Q7.
	4 x 5L	MBF 005		
	25L	MBF 025		
	205L	MBF 205		
Liquimatic DS	12 x 1L	DXS 001	FE FS AT	Can be used where the following is specified: Dexron®, Dexron®II, III or IIIH. Other specifications include: MB 236.5, Chrysler M1375.4, ZF TE-ML 09, Mercon LV, Mitsubishi SP-IV, Volvo 97340, Voith 55.6635. <i>Please see Technical Data Sheet for full list of specifications.</i>
	4 x 5L	DXS 005		
	25L	DXS 025		
	205L	DXS 205		
Liquimatic Super ATF	12 x 1L	ATF 001	SS AT	Dexron® IIIH Ford ESP-M2C138-CJ / 166-H Ford Mercon® Allison TES389B Allison TES-228 (C-4). <i>Please see Technical Data Sheet for full list of specifications.</i>
	4 x 5L	ATF 005		
	25L	ATF 025		
	205L	ATF 205		
Liquimatic DII	12 x 1L	LDT 001	AT PM	GM Dexron II® D, Ford ESP-M2C138-CJ / 166-H.
	4 x 5L	LDT 005		
	25L	LDT 025		
	205L	LDT 205		

SS Semi-Synthetic  
 FS For Automated Manual Transmissions  
 FE Fuel Efficient  
 MT Fully Synthetic  
 AD For Limited Slip Differentials  
 AT For Axles/Differentials  
 PM Performance Mineral  
 AT For Automatic Transmissions  
 AT For Manual Transmissions

# A COMPREHENSIVE RANGE OF WORLD-CLASS PRODUCTS, DESIGNED TO PERFORM


Morris Lubricants sell a wide range of products to cover a multitude of applications. If you have a specific product requirement that is not covered in this brochure, please call a member of our sales team on 01743 232 200, or email [info@morris-lubricants.co.uk](mailto:info@morris-lubricants.co.uk).




HEAVY DUTY DIESEL ENGINE OILS



HORTICULTURAL LUBRICANTS



COOLANTS




SUSPENSION FLUIDS




BIODEGRADABLE LUBRICANTS




COMPRESSOR OILS



GAS ENGINE OILS



CORROSION PROTECTION



HYGIENE & CLEANING



AEROSOLS

*The quality and reputation of our products are the cornerstone of our business. Manufactured in the UK to the most stringent OEM and international standards.*

## WORKSHOP PRO



### MEETING THE TOUGH DEMANDS OF THE MAINTENANCE PROFESSIONAL

Workshop Pro is a range of superior performance maintenance aerosols, workshop consumables and hand care products suitable for a multitude of demanding applications.





ISO 9001  
Quality  
Management  
Systems  
CERTIFIED

FM 21756

ISO 14001  
Environmental  
Management  
CERTIFIED

EMS 60044

ISO 45001  
Occupational  
Health and Safety  
Management  
CERTIFIED

OHS 555083

ISO 50001  
Energy  
Management  
CERTIFIED

ENMS 619355



**MORRIS**  
LUBRICANTS

[/morrislubricants](https://www.facebook.com/morrislubricants) | [@morrislubricantsuk](https://www.instagram.com/morrislubricantsuk) | [/morris-lubricants](https://www.linkedin.com/company/morris-lubricants)

[www.morrislubricants.co.uk](http://www.morrislubricants.co.uk)

All the products are reflective of the latest specifications at the time of going to press and are part of a continuous development programme. The company reserves the right to change formulation and specification, without prior notice to meet the latest trends and developments in lubricant and grease technology. For more detailed information on any product and confirmation of the latest specifications contact our Technical Services Department. Full product data sheets and health and safety information is available on request.